



Ersatzteile
Spare parts
Pièces de rechange

Spannelement komplett Clamping element complete Élément de serrage complet	Spannelement Clamping element Élément de serrage	Schraube Screw Vis		Gewinde Thread Filet	Druckplatte Thrust plate Plaque de poussée	Spanformer (verstellbar) Chip breaker (adjustable) Brise-copeaux (réglable)
70.91.11.089.0		70.91.50.215.0	SW 4	M 8 x 30		70.91.00.048.0
70.91.11.089.0		70.91.50.215.0	SW 4	M 8 x 30		70.91.00.049.0
70.91.11.089.0		70.91.50.215.0	SW 4	M 8 x 30		70.91.00.050.0
70.91.11.091.0		70.91.50.215.0	SW 4	M 8 x 30		
70.91.11.134.0		70.91.50.215.0	SW 4	M 8 x 30		
70.91.11.219.0		70.91.50.238.0	SW 4	M 6 x 16		
70.91.11.220.0		70.91.50.238.0	SW 4	M 6 x 16		
70.91.11.221.0		70.91.50.238.0	SW 4	M 6 x 16		
70.91.11.222.0		70.91.50.238.0	SW 4	M 6 x 16		
70.91.11.229.0		70.91.50.238.0	SW 4	M 6 x 16		70.91.00.048.0
70.91.11.229.0		70.91.50.238.0	SW 4	M 6 x 16		70.91.00.049.0
70.91.11.229.0		70.91.50.238.0	SW 4	M 6 x 16		70.91.00.050.0
70.91.11.230.0		70.91.50.238.0	SW 4	M 6 x 16	70.91.00.091.0	
70.91.11.230.0		70.91.50.238.0	SW 4	M 6 x 16	70.91.00.092.0	
70.91.11.230.0		70.91.50.238.0	SW 4	M 6 x 16	70.91.00.093.0	
70.91.11.230.0		70.91.50.238.0	SW 4	M 6 x 16	70.91.00.094.0	
70.91.11.230.0		70.91.50.238.0	SW 4	M 6 x 16		
70.91.11.232.0		70.91.50.238.0	SW 4	M 6 x 16	70.91.00.156.0	
70.91.11.233.0		70.91.50.242.0	SW 4	M 8 x 25		
70.91.11.236.0		70.91.50.238.0	SW 4	M 6 x 16		
70.91.11.241.0		70.91.50.239.0	SW 4,5	M 6 x 26		
70.91.11.248.0		70.91.50.242.0	SW 4	M 8 x 25		70.91.00.103.0
70.91.11.249.0		70.91.50.242.0	SW 4	M 8 x 25		
70.91.11.250.0		70.91.50.242.0	SW 4	M 8 x 25		70.91.00.099.0
70.91.11.250.0		70.91.50.242.0	SW 4	M 8 x 25		70.91.00.101.0
70.91.11.250.0		70.91.50.242.0	SW 4	M 8 x 25		70.91.00.105.0
70.91.11.285.0		70.91.50.238.0	SW 4	M 6 x 16		
70.91.11.316.0		70.91.50.215.0	SW 4	M 8 x 30		
70.91.11.317.0		70.91.50.215.0	SW 4	M 8 x 30	70.91.00.001.0	
70.91.11.321.0		70.91.50.267.0	Torx 15	M 5 x 13,5		
70.91.11.322.0		70.91.50.270.0	Torx 15	M 5 x 19		
70.91.11.332.0		70.91.50.215.0	SW 4	M 8 x 30		
70.91.11.348.0		60.0912.038.4	SW 3	M 4 x 16		
70.91.11.349.0		60.0912.038.4	SW 3	M 4 x 16		
70.91.11.371.0		70.91.50.215.0	SW 4	M 8 x 30		
70.91.11.427.0		70.91.50.289.0	SW 4,5	M 6 x 22		
70.91.11.428.0		70.91.50.215.0	SW 4	M 8 x 30		
70.91.11.455.0		60.0912.019.0	SW 6	M 8 x 25		
70.91.11.456.0		60.0912.011.0	SW 5	M 6 x 20		
70.91.11.493.0		70.91.50.238.0	SW 4	M 6 x 16		70.91.00.160.0
70.91.11.716.6		70.91.50.215.0	SW 4	M 8 x 30		
70.91.11.718.6		70.91.50.215.0	SW 4	M 8 x 30		
70.91.11.720.6		70.91.50.215.0	SW 4	M 8 x 30		

Spannelement komplett Clamping element complete <i>Élément de serrage complet</i>	Spannelement Clamping element <i>Élément de serrage</i>	Schraube Screw <i>Vis</i>		Gewinde Thread <i>Filet</i>	Druckplatte Thrust plate <i>Plaque de poussée</i>	Spanformer (verstellbar) Chip breaker (adjustable) <i>Brise-copeaux (réglable)</i>
70.91.11.721.6		70.91.50.215.0	SW 4	M 8 x 30		
70.91.13.316.0		70.91.50.232.0	SW 4	M 8 x 26		
70.91.13.317.0		70.91.50.232.0	SW 4	M 8 x 26	70.91.00.001.0	
70.91.13.716.6		70.91.50.215.0	SW 4	M 8 x 26		
70.91.13.718.6		70.91.50.215.0	SW 4	M 8 x 26		
70.91.15.001.0	70.91.11.333.0	70.91.50.282.0	Torx 25	M 8 x 30	70.91.00.001.0	
70.91.15.002.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.125.0
70.91.15.003.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.126.0
70.91.15.004.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.127.0
70.91.15.005.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30	70.91.00.001.0	
70.91.15.006.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.120.0
70.91.15.007.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.121.0
70.91.15.008.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.122.0
70.91.15.010.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.123.0
70.91.15.011.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.124.0
70.91.15.013.0	70.91.11.333.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.128.0
70.91.15.014.0	70.91.11.333.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.129.0
70.91.15.016.0	70.91.11.333.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.126.0
70.91.15.017.0	70.91.11.333.0	70.91.50.282.0	Torx 25	M 8 x 30		70.91.00.127.0
70.91.15.021.0	70.91.11.317.0	70.91.50.282.0	Torx 25	M 8 x 30	70.91.00.136.0	
70.91.15.025.0	70.91.13.333.0	70.91.50.232.0	SW 4	M 8 x 26	70.91.00.001.0	
70.91.15.026.0	70.91.13.317.0	70.91.50.232.0	SW 4	M 8 x 26		70.91.00.125.0
70.91.15.027.0	70.91.13.317.0	70.91.50.232.0	SW 4	M 8 x 26		70.91.00.126.0
70.91.15.028.0	70.91.13.317.0	70.91.50.232.0	SW 4	M 8 x 26		70.91.00.127.0
70.91.15.029.0	70.91.13.317.0	70.91.50.232.0	SW 4	M 8 x 26	70.91.00.001.0	
70.91.15.030.0	70.91.13.333.0	70.91.50.232.0	SW 4	M 8 x 26		70.91.00.128.0
70.91.15.031.0	70.91.13.333.0	70.91.50.232.0	SW 4	M 8 x 26		70.91.00.129.0
70.91.15.034.0	70.91.11.493.0	70.91.50.238.0	SW 4	M 6 x 16		70.91.00.160.0

SPK- Bestellnummer SPK ref. no. N° de réf. SPK	Abmessungen Dimensions Dimensions	Schraube Screw Vis		Gewinde Thread Filet	SPK- Schneidplatte SPK insert Plaquette SPK
70.91.22.010.0	12,50 x 4,76	70.91.50.252.0	Torx 20	M 6 x 13,5	SN . N 12 07 ..
70.91.22.010.1	12,50 x 4,76	70.91.50.260.0	Torx 20	M 6 x 10	SN . N 12 07 ..
70.91.22.011.0	12,50 x 7,94	70.91.50.252.0	Torx 20	M 6 x 13,5	SN . N 12 04 ..
70.91.22.011.1	12,50 x 7,94	70.91.50.260.0	Torx 20	M 6 x 10	SN . N 12 04 ..
70.91.22.012.0	15,68 x 4,76	70.91.50.253.0	SW 3	M 8 x 14	SN . N 15 07 ..
70.91.22.013.0	15,68 x 7,94	70.91.50.253.0	SW 3	M 8 x 14	SN . N 15 04 ..
70.91.22.014.0	12,50 x 4,76	70.91.50.252.0	Torx 20	M 6 x 13,5	CN . N 12 07 ..
70.91.22.014.1	12,50 x 4,76	70.91.50.260.0	Torx 20	M 6 x 10	CN . N 12 07 ..
70.91.22.015.0	12,50 x 7,94	70.91.50.252.0	Torx 20	M 6 x 13,5	CN . N 12 04 ..
70.91.22.015.1	12,50 x 7,94	70.91.50.260.0	Torx 20	M 6 x 10	CN . N 12 04 ..
70.91.22.016.0	15,68 x 4,76	70.91.50.253.0	SW 3	M 8 x 14	CN . N 16 07 ..
70.91.22.017.0	15,68 x 7,94	70.91.50.253.0	SW 3	M 8 x 14	CN . N 16 07 ..
70.91.22.018.0	9,80 x 4,76	70.91.50.254.0	SW 2,5	M 5 x 12	DN . N 12 07 ..
70.91.22.018.1	9,80 x 4,76	70.91.50.256.0	SW 2,5	M 6 x 7,5	DN . N 12 07 ..
70.91.22.019.0	9,80 x 7,94	70.91.50.254.0	SW 2,5	M 5 x 12	DN . N 12 04 ..
70.91.22.019.1	9,80 x 7,94	70.91.50.256.0	SW 2,5	M 5 x 7,5	DN . N 12 04 ..
70.91.22.020.0	12,50 x 4,76	70.91.50.252.0	Torx 20	M 6 x 13,5	DN . N 15 07 ..
70.91.22.026.0	9,32 x 4,76	70.91.50.254.0	SW 2,5	M 5 x 12	TN . N 16 07 ..
70.91.22.028.0	9,32 x 7,94	70.91.50.254.0	SW 2,5	M 5 x 12	TN . N 16 04 ..
70.91.22.030.0	9,52 x 3,18	70.91.50.254.0	SW 2,5	M 5 x 12	VN . N 16 07 ..
70.91.22.033.0	12,50 x 4,76	70.91.50.252.0	Torx 20	M 6 x 13,5	RN . N 12 07 00
70.91.22.034.0	12,50 x 7,94	70.91.50.252.0	Torx 20	M 6 x 13,5	RN . N 12 04 00
70.91.22.069.1	12,50 x 3,18	70.91.50.260.0	Torx 20	M 6 x 10	CN . N 12 04 ..
70.91.22.071.1	9,80 x 3,18	70.91.50.254.0	SW 2,5	M 5 x 12	DN . N 12 04 ..
70.91.22.072.1	12,50 x 3,18	70.91.50.260.0	Torx 20	M 6 x 10	SN . N 12 04 ..
70.91.22.073.0		60.7991.008.1	SW 3	M 5 x 16	a = 1,10 - 1,60 mm
70.91.22.074.0		60.7991.008.1	SW 3	M 5 x 16	a = 1,10 - 1,60 mm
70.91.22.075.0		60.7991.008.1	SW 3	M 5 x 16	a = 1,85 - 2,65 mm
70.91.22.076.0		60.7991.008.1	SW 3	M 5 x 16	a = 1,85 - 2,65 mm
70.91.22.077.0		60.7991.008.1	SW 3	M 5 x 16	a = 3,15 - 4,15 mm
70.91.22.078.0		60.7991.008.1	SW 3	M 5 x 16	a = 3,15 - 4,15 mm
70.91.22.088.0		60.7991.008.1	SW 3	M 5 x 16	a = 1,10 - 1,60 mm
70.91.22.089.0		60.7991.008.1	SW 3	M 5 x 16	a = 1,10 - 1,60 mm
70.91.22.090.0		60.7991.008.1	SW 3	M 5 x 16	a = 1,85 - 2,65 mm
70.91.22.091.0		60.7991.008.1	SW 3	M 5 x 16	a = 1,85 - 2,65 mm
70.91.22.092.0		60.7991.008.1	SW 3	M 5 x 16	a = 3,15 - 4,15 mm
70.91.22.093.0		60.7991.008.1	SW 3	M 5 x 16	a = 3,15 - 4,15 mm
70.91.22.143.0	11,30 x 4,76	60.7984.051.0	SW 2	M 3 x 8	CC . X 12 06 ..
70.91.22.144.0	10,90 x 4,76	60.7984.051.0	SW 2	M 3 x 8	SC . X 12 06 ..
70.91.22.145.0	11,40 x 6,35	60.7984.051.0	SW 2	M 3 x 8	SC . N 12 04 ..
70.91.22.146.0	11,30 x 6,35	60.7984.051.0	SW 2	M 3 x 8	CC . N 12 04 ..
70.91.22.147.0	10,90 x 3,18	60.7984.051.0	SW 2	M 3 x 8	SC . X 12 06 ..
70.91.22.148.0	10,90 x 3,18	60.7984.051.0	SW 2	M 3 x 8	DC . N 15 07 ..
70.91.22.149.0	10,90 x 4,76	60.7984.051.0	SW 2	M 3 x 8	DC . X 15 06 ..

SPK- Bestellnummer SPK ref. no. N° de réf. SPK	Abmessungen Dimensions Dimensions	Schraube Screw Vis	Gewinde Thread Filet	SPK- Schneidplatte SPK insert Plaquette SPK
70.91.22.151.1	9,80 x 3,18	70.91.50.254.0	SW 2,5 M 5 x 12	DN . N 12 04 ..
70.91.22.161.0	9,32 x 3,18	60.0963.002.0	Schlitz M 3 x 8	CN . N 09 04 ..
70.91.22.166.0	9,32 x 4,76	60.7984.051.0	SW 2 M 3 x 8	CN . N 09 03 ..
70.91.22.167.0	9,32 x 3,18	70.91.50.254.0	SW 2,5 M 5 x 12	VN . N 16 07
70.91.23.058.0		60.7984.051.0	SW 2 M 3 x 8	KP1, 36°
70.91.23.112.0		60.7985.051.0	SW 2 M 3 x 8	a = 10 mm
70.91.23.113.0		60.7985.051.0	SW 2 M 3 x 8	a = 12 mm
70.91.23.114.0		60.7984.011.0	SW 2,5 M 4 x 10	a = 15 mm
70.91.23.115.0		60.7984.011.0	SW 2,5 M 4 x 10	a = 19 mm
70.91.23.116.0		60.7984.011.0	SW 2,5 M 4 x 10	a = 25 mm
70.91.23.133.0		60.7984.051.0	SW 2 M 3 x 8	KP1, 38°
70.91.23.141.0	5,30 x 6,00		- - -	RB . N 06 04 M0
70.91.23.142.0	6,30 x 6,00		- - -	RB . N 07 04 M0
70.91.23.157.0	7,30 x 6,00		- - -	RB . N 08 04 M0
70.91.23.158.0	9,00 x 7,00		- - -	RB . N 10 07 M0
70.91.23.254.0		70.91.50.252.0	Torx 20 M 6 x 13,5	Poly-V-Profil
70.91.23.357.0		60.7991.008.1	SW 3 M 5 x 16	a = 4 mm
70.91.23.358.0		60.7991.008.1	SW 3 M 5 x 16	a = 5 mm
70.91.23.359.0		60.7991.008.1	SW 3 M 5 x 16	a = 6 + 7 mm
70.91.23.360.0		60.7991.008.1	SW 3 M 5 x 16	a = 8 mm
70.91.23.365.0		60.7991.008.1	SW 3 M 5 x 16	a = 10 mm
70.91.23.369.0		60.7991.008.1	SW 3 M 5 x 16	a = 6 + 7 mm
70.91.23.370.0		60.7991.008.1	SW 3 M 5 x 16	a = 8 mm
70.91.23.371.0		60.7991.008.1	SW 3 M 5 x 16	a = 10 mm
70.91.23.398.0		60.7991.008.1	SW 3 M 5 x 16	a = 4 mm
70.91.23.399.0		60.7991.008.1	SW 3 M 5 x 16	a = 5 mm
70.91.23.432.0		60.7991.008.1	SW 3 M 5 x 16	Poly-V-Profil
70.91.23.435.0		60.9784.051.0	SW 2 M 3 x 8	Poly-V-Profil
70.91.23.459.0		60.9784.051.0	SW 2 M 3 x 8	Poly-V-Profil
70.91.23.461.0		60.9784.051.0	SW 2 M 3 x 8	Poly-V-Profil
70.91.23.477.0		70.91.50.252.0	Torx 20 M 6 x 13,5	Poly-V-Profil
70.91.23.526.0		60.0912.012.0	SW 5 M 6 x 25	a = 4 mm
70.91.23.528.0		60.7991.008.1	SW 3 M 5 x 16	a = 4 mm
70.91.23.531.0		60.7991.008.1	SW 3 M 5 x 16	a = 4 mm
70.91.23.532.0		60.7991.008.1	SW 3 M 5 x 16	a = 5 mm
70.91.23.533.0		60.7991.008.1	SW 3 M 5 x 16	a = 6 + 7 mm
70.91.23.534.0		60.7991.008.1	SW 3 M 5 x 16	a = 8 mm
70.91.23.535.0		60.7991.008.1	SW 3 M 5 x 16	a = 10 mm
70.91.23.538.0		60.7991.008.1	SW 3 M 5 x 16	a = 4 mm
70.91.23.539.0		60.7991.008.1	SW 3 M 5 x 16	a = 5 mm
70.91.23.540.0		60.7991.008.1	SW 3 M 5 x 16	a = 6 + 7 mm
70.91.23.541.0		60.7991.008.1	SW 3 M 5 x 16	a = 8 mm
70.91.23.542.0		60.7991.008.1	SW 3 M 5 x 16	a = 10 mm
70.91.23.546.0		60.7991.008.1	SW 3 M 5 x 16	a = 4 mm

SPK- Bestellnummer SPK ref. no. N° de réf. SPK	Abmessungen Dimensions Dimensions	Schraube Screw Vis		Gewinde Thread Filet	SPK- Schneidplatte SPK insert Plaquette SPK
70.91.23.547.0		60.7991.008.1	SW 3	M 5 x 16	a = 4 mm
70.91.23.548.0		60.7991.008.1	SW 3	M 5 x 16	a = 5 mm
70.91.23.549.0		60.7991.008.1	SW 3	M 5 x 16	a = 6 + 7 mm
70.91.23.550.0		60.7991.008.1	SW 3	M 5 x 16	a = 8 mm
70.91.23.555.0		60.7991.008.1	SW 3	M 5 x 16	a = 4 mm
70.91.23.556.0		60.7991.008.1	SW 3	M 5 x 16	a = 4 mm
70.91.23.557.0		60.7991.008.1	SW 3	M 5 x 16	a = 5 mm
70.91.23.558.0		60.7991.008.1	SW 3	M 5 x 16	a = 6 + 7 mm
70.91.23.559.0		60.7991.008.1	SW 3	M 5 x 16	a = 8 mm
70.91.23.560.0		60.7991.008.1	SW 3	M 5 x 16	a = 10 mm
70.91.23.580.0		60.7991.008.1	SW 3	M 5 x 16	Poly-V-Profil
70.91.23.581.0		60.7991.008.1	SW 3	M 5 x 16	Poly-V-Profil
70.91.23.602.0	8,80 x 4,76	60.7984.051.0	SW 2	M 3 x 8	SC . N 09 03 ..
70.91.23.631.0	11,00 x 6,00	60.7984.050.0	SW 2	M 3 x 10	RB . N 12 07 M0
70.91.23.644.0	15,00 x 8,00	60.7984.012.0	SW 2,5	M 4 x 12	RB . N 16 07 M0
70.91.23.680.0	19,00 x 8,00	60.7984.012.0	SW 2,5	M 4 x 12	RB . N 20 07 M0
70.91.23.681.0	24,00 x 8,00	60.7984.012.0	SW 2,5	M 4 x 12	RB . N 25 07 M0
70.91.23.756.0		60.7984.052.0	SW 2	M 3 x 12	Poly-V-Profil
70.91.23.757.0		60.7984.052.0	SW 2	M 3 x 12	Poly-V-Profil
70.91.26.083.0		60.7984.052.0	SW 2	M 3 x 12	Poly-V-Profil
70.91.26.084.0		60.7984.052.0	SW 2	M 3 x 12	Poly-V-Profil
70.91.50.151.0	Spannschraube Clamping bolt <i>Vis de serrage</i>		Torx 15	M 4 x 10,5	TP . X 16 03
70.91.53.011.0	8,00 x 3,00	60.0963.002.0	Schlitz	M 3 x 8	SC . N 09 04 ..
70.91.53.013.0	9,50 x 3,20	60.7984.053.0	SW 2	M 3 x 6	SN . N 09 04 ..
70.91.53.014.0	9,50 x 4,80	60.7984.051.0	SW 2	M 3 x 8	SN . N 09 03 ..
70.91.53.060.0	11,50 x 3,20	60.7984.051.0	SW 2	M 3 x 8	SC . N 12 04 ..
70.91.53.064.0	12,50 x 4,00	60.7984.051.0	SW 2	M 3 x 8	SN . N 12 07 ..
70.91.53.131.0	8,30 x 3,20	60.0963.002.0	Schlitz	M 3 x 8	TC . N 16 04 ..
70.91.53.275.0	12,60 x 4,00	60.7984.053.0	SW 2	M 3 x 6	CN . X 12 07 ..
70.91.53.336.0		60.7984.051.0	SW 2	M 3 x 8	KP 1, 36 °
70.91.53.337.0		60.7984.051.0	SW 2	M 3 x 8	KP 2, 36 °
70.91.53.338.0		60.7984.051.0	SW 2	M 3 x 8	KP 1, 36 °
70.91.53.366.0		60.7984.051.0	SW 2	M 3 x 8	KP 1, 38 °
70.91.53.401.0	12,70 x 4,00	60.7984.051.0	SW 2	M 3 x 8	RN . N 12 07 00
70.91.53.405.0	16,00 x 4,00	60.7984.051.0	SW 2	M 3 x 8	RN . N 15 07 00
70.91.53.407.0	19,00 x 6,00	60.7984.011.0	SW 2,5	M 4 x 10	RN . N 19 07 00
70.91.53.413.0	12,70 x 7,20	60.7984.052.0	SW 2	M 3 x 12	RN . N 12 04 00
70.91.53.420.0	9,50 x 4,70	60.7984.051.0	SW 2	M 3 x 8	RN . N 09 04 00
70.91.53.484.0	9,50 x 6,30	60.7984.052.0	SW 2	M 3 x 12	RN . N 09 03 00
70.91.53.793.0		60.7984.051.0	SW 2	M 3 x 8	KP 1, 36 °
70.91.53.806.0		60.7984.051.0	SW 2	M 3 x 8	P 1, 34 °
70.91.53.810.0		60.7984.051.0	SW 2	M 3 x 8	P 1, 34 °
70.91.53.812.0		60.7984.051.0	SW 2	M 3 x 8	P 1, 36 °

SPK- Bestellnummer SPK ref. no. N° de réf. SPK	Abmessungen Dimensions Dimensions	Schraube Screw Vis	Gewinde Thread Filet	SPK- Schneidplatte SPK insert Plaquette SPK
70.91.53.813.0		60.7984.011.0	SW 2,5 M 4 x 10	P 1, 34°
70.91.53.814.0		60.7984.011.0	SW 2,5 M 4 x 10	P 1, 34°
70.91.53.830.0		60.7984.051.0	SW 2 M 3 x 8	KP 1 + P1, 34 °
70.91.53.831.0		60.7984.051.0	SW 2 M 3 x 8	KP 1 + P1, 38 °
70.91.53.832.0		60.7984.051.0	SW 2 M 3 x 8	KP 1 + P1, 34 °
70.91.53.833.0		60.7984.051.0	SW 2 M 3 x 8	KP 1 + P1, 38 °
70.91.53.834.0		60.7984.051.0	SW 2 M 3 x 8	KP 1 + P1, 34 °
70.91.53.835.0		60.7984.051.0	SW 2 M 3 x 8	KP 1 + P1, 38 °
70.91.53.836.0		60.7984.011.0	SW 2,5 M 4 x 10	KP 1 + P1, 34 °
70.91.53.837.0		60.7984.011.0	SW 2,5 M 4 x 10	KP 1 + P1, 38 °
70.91.53.838.0		60.7984.011.0	SW 2,5 M 4 x 10	P 1, 34 °
70.91.53.839.0		60.7984.011.0	SW 2,5 M 4 x 10	P 1, 38 °
70.91.53.856.0		60.7984.051.0	SW 2 M 3 x 8	P 1, 36 °
70.91.53.857.0		60.7984.011.0	SW 2,5 M 4 x 10	P 1, 36 °
70.91.53.858.0		60.7984.011.0	SW 2,5 M 4 x 10	P 1, 36 °
70.91.53.861.0		60.7984.051.0	SW 2 M 3 x 8	P 1, 38 °
70.91.53.862.0		60.7984.051.0	SW 2 M 3 x 8	P 1, 38 °
70.91.53.863.0		60.7984.051.0	SW 2 M 3 x 8	P 1, 38 °
70.91.53.864.0		60.7984.011.0	SW 2,5 M 4 x 10	P 1, 38 °
70.91.53.868.0		60.7984.051.0	SW 2 M 3 x 8	P 1, 40 °
70.91.53.875.0		60.7984.051.0	SW 2 M 3 x 8	P 1, 38°
70.91.53.876.0		60.7984.011.0	SW 2,5 M 4 x 10	P 1, 30°
70.91.53.952.0		60.7984.051.0	SW 2 M 3 x 8	P 2, 30 °
70.91.53.953.0		60.7984.051.0	SW 2 M 3 x 8	P 2, 36 °
70.91.53.954.0		60.7984.011.0	SW 2,5 M 4 x 10	P 2, 36 °
70.91.53.957.0		60.7984.051.0	SW 2 M 3 x 8	P 2, 30 °
70.91.53.959.0		60.7984.051.0	SW 2 M 3 x 8	P 2, 36 °

Stützplatte komplett Shim element complete	Abmessungen Dimensions <i>Dimensions</i>	Stift Pin <i>Trou</i>	SPK- Schneidplatte SPK insert <i>Plaquette SPK</i>	
70.91.53.428.0	13,50 x 7,90	33.60.1481.006.0	2,5 x 10	RC . X 15 10 00
70.91.53.444.0	7,80 x 6,25	33.60.1481.001.0	2,0 x 10	RC . X 09 07 00
70.91.53.446.0	13,50 x 6,00	33.60.1481.006.0	2,5 x 10	RC . N 15 07 00
70.91.53.450.0	10,70 x 7,10	33.60.1481.016.0	2,5 x 8	RC . X 12 07 00
70.91.53.451.0	16,50 x 8,80	33.60.1481.003.0	3,0 x 12	RC . X 19 10 00
70.91.53.461.0	7,80 x 4,00	33.60.1481.001.0	2,0 x 10	RC . N 09 07 00
70.91.53.462.0	10,70 x 4,00	33.60.1481.006.0	2,5 x 10	RC . N 12 07 00
70.91.53.473.0	16,60 x 6,00	33.60.1481.003.0	3,0 x 12	RC . N 19 07 00

Stützplatte komplett Shim element complete	Stützplatte Shim <i>Plaquette d'assise</i>	Abmessungen Dimensions <i>Dimensions</i>	Spannbolzen Pin <i>Trou</i>	SPK- Schneidplatte SPK insert <i>Plaquette SPK</i>	
70.91.26.001.6	70.91.22.010.1	12,50 x 4,76	70.91.30.016.0	SW 2,5	SN . A 12 07 ..
70.91.26.002.6	70.91.22.012.1	15,68 x 4,76	70.91.30.017.0	SW 3	SN . A 15 07 ..
70.91.26.003.6	70.91.22.014.1	12,50 x 4,76	70.91.30.016.0	SW 2,5	CN . A 12 07 ..
70.91.26.004.6	70.91.22.016.1	15,68 x 4,76	70.91.30.017.0	SW 3	CN . A 16 07 ..
70.91.26.006.6	70.91.22.020.1	12,50 x 4,76	70.91.30.016.0	SW 2,5	DN . A 15 07 ..
70.91.26.007.6	70.91.22.011.1	12,50 x 7,94	70.91.30.016.0	SW 2,5	SN . A 12 04 ..
70.91.26.009.6	70.91.22.015.1	12,50 x 7,94	70.91.30.016.0	SW 2,5	CN . A 12 04 ..
70.91.26.011.6	70.91.22.019.1	9,80 x 7,94	70.91.30.018.0	SW 2	DN . A 12 04 ..
70.91.26.012.6	70.91.22.021.1	12,50 x 7,94	70.91.30.016.0	SW 2,5	DN . A 15 04 ..
70.91.26.022.6	70.91.22.025.1	15,68 x 6,35	70.91.30.017.0	SW 3	SN . A 15 06 ..
70.91.26.037.6	70.91.22.028.1	9,32 x 7,94	70.91.30.018.0	SW 2	TN . A 16 04 ..
70.91.26.043.6	70.91.22.034.1	12,50 x 7,94	70.91.30.016.0	SW 2,5	RN . A 12 04 ..
70.91.26.050.6	70.91.22.048.1	12,50 x 6,35	70.91.30.016.0	SW 2,5	DN . A 15 06 ..
70.91.26.062.6	70.91.22.047.1	15,68 x 6,35	70.91.30.017.0	SW 3	CN . A 16 06 ..
70.91.26.098.6	70.91.22.119.1	9,32 x 6,40	70.91.30.031.0	SW 2	VN . A 16 04 ..